

# 300Mbps Hotspot Wireless Subscriber Gateway



The PLANET WSG-500 is a multi-function, all-in-one Wireless Hotspot Gateway for wireless public hotspot application. For hotspot service providers, the WSG-500 is the ideal integrated solution for rapid deployment of hotspot service with enhanced service performance.

The WSG-500 comprises built-in 802.11 b/g/n 2.4GHz Access Point with 2T2R MIMO technology to facilitate less dead-spot wireless service. It serves as a Web server for clients to easily login the hotspot wireless service. Designed with plug and play function, the WSG-500 hotspot service can be activated quickly. The WSG-500 also provides easy Logo-loading for branding a hotspot store, simple user/visitor account management tool, payment plans, PayPal credit card gateway, traffic logs, IP sharing and etc. By the WSG-500 co-working with the Account Generator, the WSG-ACG5, the multiple billing features give the mobile visitors flexible choices of the payment mode.

The WSG-500 brings hotspot service providers an extra advantage of flexible installation. It is packed in a wall-mountable, dust-proof (IP 50) metal housing. In addition, the WSG-500 is compatible with 802.3af PoE standard so that it can be powered through Ethernet cable and be installed anywhere to provide the optimal Wireless coverage of the installed site such as Cyber Café, Department Store, Hotel, Airport and any other public places.

## KEY FEATURES

### IDEAL HOTSPOT SOLUTION

Via the integrated high performance 802.11b/g/n wireless interface, mobile users can establish high speed Internet access without any configuration.

### ZERO CONFIGURATION (PLUG-N-PLAY) INTERNET ACCESS

The WSG-500 translates proper IP address information for Internet access and all IP configurations, either DHCP Private IP or Static IP information will be turned into Internet-ready configurations. Subscribers will not need to face the inconvenience of IP reconfigurations.

### BUILT-IN PROPRIETARY AAA MECHANISM AND BILLING SYSTEM

The WSG-500 integrates Web-Based Authentication (including subscriber SSL logon page), selective Web-Based Accounting and proprietary billing mechanism, which can help the hotspot service providers to prepare a billing mechanism in a very short time and bring the most convenience and least efforts for billing applications.

### RADIUS AAA SUPPORT

The WSG-500 provides standard based Radius Client to communicate with any standard based Radius server, in order to support AAA (Authentication, Authorization and Accounting).

### SECURITY AND FIREWALL

With built-in 64/128-bit WEP, WPA/WPA2, subscriber SSL Login Page / Admin Page and VPN (IPSec/PPTP) Pass through various security features, the WSG-500 brings you an ease-of-use, most comfortable and safe Internet access environments.

### EASE-OF-USE AND MANAGEMENT

The built-in web management interface in the WSG-500 brings the most convenience to system administrators or machine operators while configuring machines or setting up subscribers privilege in movements. The clerks or machine operators may printout billing and other user information by the button-operated printer included with the WSG-500. If the user time increases, simply press the printer button multiple times to compile the usage information. No computers or complex back-end subscriber managed systems are required for deployment.

### VIRTUAL SERVER & DMZ CAPABILITY

The standard and user-defined Virtual server function included in the WSG-500 offer the most flexibility to share local resources like Email, FTP or HTTP servers to the Internet in a more secure way. The DMZ (De-Militarized Zone) capability helps LAN users to act like an independent Internet node that communicates to the Internet in both directions while maintaining security for LAN users.

## APPLICATIONS

### Wireless / Wired Internet Access in Public Locations

With PLANET WSG-500 Hotspot Wireless Subscriber Gateway, you can now provide mobile users hassle free, plug-and-play wireless / wired Internet access in public places such as coffee shop, restaurant, airports, train station, campus or hotel. For wireless Internet access, users can use their mobile devices such as notebook or mobile phone with Wi-Fi capability to get seamless Internet Access for Internet surfing, E-mail connection or link to company network via VPN without any IP configuration. You can also utilize the WSG-500 built-in billing mechanism to provide accounting and billing functions.



## SPECIFICATION

Product		300Mbps Hotspot Wireless Subscriber Gateway
Model		WSG-500
Camera Specification		
Ports	LAN	2 x RJ-45 (10Base-T/100Base-TX, Auto-Negotiation, Auto MDI/MDI-X)
	WAN	1 x RJ-45 (10Base-T/100Base-TX, Auto-Negotiation)
	WLAN	IEEE 802.3af Power over Ethernet (PoE) complied IEEE 802.11b/g/n 2T2R
Frequency Band		2.412GHz ~ 2.4835GHz
Wireless Data rate		Up to 300Mbps with auto fall back with 802.11b and 802.11g
Wireless Encryption		WEP 64/128 bit, WPA / WPA2 with TKIP/AES
Wireless Antenna Type		5dBi (Max) Dual detachable diversity antenna with reverse SMA
Wireless Channel		FCC: Ch1 ~ Ch11 ETSI: Ch1 ~ Ch13
Wireless Receiver Sensitivity		802.11b: 11Mbps@-84dBm 802.11g: 54Mbps@-69dBm 802.11n: 300Mbps@-65dBm
Wireless Transmit Power (EIRP)		802.11b: 18 dBm 802.11g: 16 dBm 802.11n: 16 dBm
Internet sharing		Plug-n-Play Internet access
Protocol		TCP/IP, HTTP,HTTPS, DNS, NAT, NTP, DHCP
LED Indicators		1 x Power LED 1 x WAN Link/Activity LED 2 x LAN Link/Activity LEDs 1 x WLAN Link/Activity LED 1 x Internet Link LED 1 x WES (Future Purpose) 1 x USB (Future Usage Update)

AAA / Billing	Built-in Authentication
	Exclusive Printer Accounting without PC operating
	Web-Based Login Page Authentication
	Web-Based Accounting
	Flexible Billing Profiles and Price Plan
	Flexible Billing Mechanism
	Flexible Time Mechanism (Time to Finish and Accumulation)
	External Terminal Server (WSG-ACG5)
	RADIUS Authentication
	Credit Card Support (Authorize.net, PayPal)
	10 Customizable Billing Profile
	Remaining Credit Reminder
	Accumulation Billing
Security	Account log
	Layer 2 Isolation
	SSL Login Page
	SSL Administration
	VPN Pass through (PPTP)
	Pass through Destination IP/URL
	Pass through Source IP/MAC
	Restricted Destination Filtering IP/URL
	Share LAN Resources
	Customize SSL Certificate
	DoS Attack Protection
	IEEE 802.1x (EAP-MD5, EAP-TLS, CHAP, PEAP)
Management	Supports Multiple Authentication Methods (Local and On-demand, RADIUS)
	Supports Multiple Logins with One Single Account
	SSL Protected Login Portal Page
	Administrator/ Manager/ Operator Management Access
	Local Account: Max. 500
	Supports Guest Accounts: Up to 2000
	Customize Login / Logout Page
	SSH Remote Management
	Policy-Based Access Control
	IP-Based / MAC-Based Privilege List
	Friendly Notification E-mail
	Backup / Restore / Factory Default Setting
	Remote Firmware Upgrade
Power Requirement	System Information Table
	Per-user Traffic History Log
	Supports External Syslog Server
	Billing Report Summary
	Bandwidth Control
	Session Idle Timer
	Session / Account Expiration Control
	Secure Remote via PPTP VPN
	Supports SNMP v1/v2c
	SSL Certificate Upload
Dimension (W x D x H)	12VDC, 1A
Environment	204 x 134 X 35 mm
Emission	Temperature: -30 ~ 70 Degree C (operating)
Model	Humidity: 0 ~ 90% (non-condensing)
Product	CE, FCC
LAN Interface	<a href="#">WSG-ACG5-KIT</a>
Console Interface	WSG-ACG5: Console Terminal Server / Account Generator for WSG-500
Button	10/100Base-TX, Auto-Negotiation / Auto-MDI
Power Supply	2 x RS-232 DB9
Thermal Printer	6 push button
Power Supply	12VDC, 1A
	8VDC, 3.5A

## ORDERING INFORMATION

WSG-500	300Mbps Hotspot Wireless Subscriber Gateway
---------	---